

## IV - Floor Saws

*Your global solution manufacturer*



## AZED



### [High Performance Asphalt]

- TurboStart (self-sharpening segments)
- Asphalt (abrasive to semi-abrasive aggregates)



Ø	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
450-700	40	10	3,9	SG	AZED002	16,81
450-1000	40	10	4,5	SG	AZED001	17,96

## AZE



### [High Performance Asphalt]

- TurboStart (self-sharpening segments)
- Asphalt (abrasive to semi-abrasive aggregates)
- Vertical segments for core protection



Ø	N° Segments	Segment Length	Segment Height	Segment Width	N° Prot.	Stock	Code	Price Euro
500	36	40	10	3,9	6	SN	AZE1012	1087,50
600	42	40	10	3,9	6	SN	AZE1001	1294,37
600	42	40	10	4,5	6	SN	AZE1002	1342,77
650	46	40	10	3,9	6	SN	AZE1003	1489,57
650	46	40	10	4,5	6	SN	AZE1004	1542,58
700	50	40	10	4,5	6	SN	AZE1005	1641,91
750	54	40	10	4,5	8	SN	AZE1006	1825,44
800	57	40	10	4,5	8	SN	AZE1007	1935,17
900	52	40	10	4,5	6	SN	AZE1010	2235,15
900	64	40	10	4,5	8	SN	AZE1008	2450,67
1000	58	40	10	4,5	8	SN	AZE1011	2583,29
1000	70	40	10	4,5	10	SN	AZE1009	2798,81

Please specify bore hole and pin holes

**[High Output Asphalt Black]** 

- TurboStart (self-sharpening segments)
- Asphalt (abrasive to semi-abrasive aggregates)




**AHED**



Ø	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
450-700	40	7,5	3,9	SN	AHED002	14,13
450-1000	40	7,5	4,5	SN	AHED001	14,87

**[High Output Asphalt Black]** 

- TurboStart (self-sharpening segments)
- Asphalt (abrasive to semi-abrasive aggregates)
- Trapezium segments for core protection



**AHE**




Ø	N° Segments	Segment Length	Segment Height	Segment Width	N° Prot.	Stock	Code	Price Euro
600	36	40	7,5	3,9	4	SN	AHE0003	1050,17
600	36	40	7,5	4,5	4	SN	AHE0004	1076,61
650	38	40	7,5	3,9	4	SN	AHE0013	1133,96
650	38	40	7,5	4,5	4	SN	AHE0014	1161,87
700	40	40	7,5	4,5	5	SN	AHE0005	1257,93
800	46	40	7,5	4,5	6	SN	AHE0006	1472,09

Please specify bore hole and pin holes



## AHS




### [High Output Asphalt Black]

- TurboStart (self-sharpening segments)
- Asphalt (abrasive to semi-abrasive aggregates)
- Trapezium segments for core protection



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	N° Prot.	Stock	Code	Price Euro
300	20	18	40	10	3,2	3	SN	AHS0012	357,98
300	25,4+T	18	40	10	3,2	3	SN	AHS0002	357,98
350	20	21	40	10	3,2	3	SN	AHS0013	402,36
350	25,4+T	21	40	10	3,2	3	SN	AHS0004	402,36
400	25,4+T	24	40	10	3,6	3	SN	AHS0005	574,25
450	25,4+T	26	40	10	3,6	4	SN	AHS0007	651,80
500	25,4+T	30	40	10	3,6	5	SN	AHS0009	779,96

## APS 13



### [Black Intensive]

**NEW**

- Asphalt (abrasive aggregates)
- "DEEP" segments for core protection



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	N° Prot.	Stock	Code	Price Euro
350	25,4+T	21	40	13	3,0	3	SN	APS1302	335,00
400	25,4+T	24	40	13	3,2	4	SN	APS1303	430,80
450	25,4+T	25	40	13	3,6	5	SN	APS1304	495,00
500	25,4+T	30	40	13	3,6	5	SN	APS1305	628,00
600	25,4+T	35	40	13	4,0	5	SN	APS1306	764,00

[Vega Abrasive]




**NEW**

- Asphalt (semi-abrasive aggregates), abrasive concrete



**VEA**



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	N° Prot.	Stock	Code	Price Euro
300	25,4+T	21	38	10	3,2	3	SG	<b>VEA1001</b>	172,40
350	25,4+T	24	38	10	3,2	3	SG	<b>VEA1002</b>	218,00
400	25,4+T	28	38	10	3,5	4	SG	<b>VEA1003</b>	264,60
450	25,4+T	32	38	10	4,0	4	SG	<b>VEA1004</b>	351,80
500	25,4+T	35	38	10	4,0	5	SG	<b>VEA1005</b>	494,60
600	25,4+T	42	38	10	4,5	6	SG	<b>VEA1006</b>	868,60

**BSS**

**[Cured concrete 60 HP]**



**NEW**

- Cured, compact concrete, flint aggregates
- Fast cut, very high performance
- For powerful machine > 45 HP



Ø	Bore	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
450	25,40+T	40	10	3,6	SN	<b>BSS1001</b>	910,66
500	25,40+T	40	10	3,6	SN	<b>BSS1002</b>	1036,89
500	25,40+T	40	10	4,2	SN	<b>BSS1003</b>	1067,36

**BSE**

**[Cured concrete 75 HP]**



**NEW**

- Cured, compact concrete, flint aggregates
- Fast cut, very high performance
- For powerful machine > 55 HP



Ø	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
500	36	40	10	4,2	SN	<b>BSE1006</b>	1365,32
600	42	40	10	4,2	SN	<b>BSE1001</b>	1478,90
600	42	40	10	4,7	SN	<b>BSE1008</b>	1508,53
650	46	40	10	4,2	SN	<b>BSE1002</b>	1646,88
650	46	40	10	4,7	SN	<b>BSE1009</b>	1679,32
700	50	40	10	4,2	SN	<b>BSE1003</b>	1829,58
700	50	40	10	4,7	SN	<b>BSE1010</b>	1864,84
750	54	40	10	4,2	SN	<b>BSE1004</b>	2021,68
750	54	40	10	4,7	SN	<b>BSE1011</b>	2059,76
800	57	40	10	4,2	SN	<b>BSE1005</b>	2147,49
1000	70	40	10	4,2	SN	<b>BSE1007</b>	2768,10

*Please specify bore hole and pin holes*

**[Alligator 60 HP]** 

- TurboStart (self-sharpening segments)
- Crenellated segments
- Cured compact concrete, flint aggregates
- Fast cut




**BTED**



Ø	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
450-700	46	10	3,9	SN	<b>BTED101</b>	13,45
450-1000	46	10	4,2	SN	<b>BTED102</b>	13,97
450-1000	46	10	4,7	SN	<b>BTED103</b>	14,82

**[Alligator 60 HP]** 

- TurboStart (self-sharpening segments)
- Crenellated segments
- Cured compact concrete, flint aggregates
- Fast cut



**BTE**



Ø	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
450	26	46	10	3,9	SN	<b>BTE1001</b>	745,84
450	26	46	10	4,2	SN	<b>BTE1002</b>	759,39
450	26	46	10	4,7	SN	<b>BTE1003</b>	781,27
500	30	46	10	3,9	SN	<b>BTE1004</b>	849,17
500	30	46	10	4,2	SN	<b>BTE1005</b>	864,80
500	30	46	10	4,7	SN	<b>BTE1006</b>	890,05
600	36	46	10	3,9	SN	<b>BTE1007</b>	1009,65
600	36	46	10	4,2	SN	<b>BTE1008</b>	1028,40
600	36	46	10	4,7	SN	<b>BTE1009</b>	1058,70
650	38	46	10	3,9	SN	<b>BTE1010</b>	1.099,26
650	38	46	10	4,2	SN	<b>BTE1011</b>	1119,14
650	38	46	10	4,7	SN	<b>BTE1012</b>	1145,37
700	40	46	10	4,2	SN	<b>BTE1013</b>	1187,74
700	40	46	10	4,7	SN	<b>BTE1014</b>	1221,40
750	42	46	10	4,2	SN	<b>BTE1015</b>	1.311,44
750	42	46	10	4,7	SN	<b>BTE1016</b>	1.348,07
800	46	46	10	4,2	SN	<b>BTE1017</b>	1390,38
800	46	46	10	4,7	SN	<b>BTE1018</b>	1429,09
900	52	46	10	4,2	SN	<b>BTE1019</b>	1752,62
900	52	46	10	4,7	SN	<b>BTE1020</b>	1796,38
1000	58	46	10	4,2	SN	<b>BTE1021</b>	2069,80
1000	58	46	10	4,7	SN	<b>BTE1022</b>	2.120,37
1200	68	46	10	4,2	SN	<b>BTE1023</b>	2652,69
1200	68	46	10	4,7	SN	<b>BTE1024</b>	2.711,98

Please specify bore hole and pin holes



## BHED


[Alligator 45 HP] 

- TurboStart (self-sharpening segments)
- Crenellated segments
- Cured compact concrete, flint aggregates
- Fast cut



Ø	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
450-700	46	10	3,9	SN	BHED001	12,90
450-1000	46	10	4,2	SN	BHED002	13,38
450-1000	46	10	4,7	SN	BHED003	14,15

## BHE

[Alligator 45 HP] 

- TurboStart (self-sharpening segments),
- Crenellated segments
- Cured compact concrete, flint aggregates
- Fast cut



Ø	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
450	26	46	10	3,9	SN	BHE1001	731,57
450	26	46	10	4,2	SN	BHE1002	744,01
450	26	46	10	4,7	SN	BHE1003	764,07
500	30	46	10	3,9	SN	BHE1004	832,70
500	30	46	10	4,2	SN	BHE1005	847,06
500	30	46	10	4,7	SN	BHE1006	870,20
600	36	46	10	3,9	SN	BHE1007	989,88
600	36	46	10	4,2	SN	BHE1008	1007,11
600	36	46	10	4,7	SN	BHE1009	1034,88
650	38	46	10	3,9	SN	BHE1010	1072,73
650	38	46	10	4,2	SN	BHE1011	1090,92
650	38	46	10	4,7	SN	BHE1012	1120,22
700	40	46	10	3,9	SN	BHE1013	1144,93
700	40	46	10	4,2	SN	BHE1014	1164,08
700	40	46	10	4,7	SN	BHE1015	1194,93
750	42	46	10	4,2	SN	BHE1016	1280,25
750	42	46	10	4,7	SN	BHE1017	1312,64
800	46	46	10	4,2	SN	BHE1018	1363,18
800	46	46	10	4,7	SN	BHE1019	1398,65
900	52	46	10	4,2	SN	BHE1020	1721,87
900	52	46	10	4,7	SN	BHE1021	1761,97
1000	58	46	10	4,2	SN	BHE1022	2026,72
1000	58	46	10	4,7	SN	BHE1023	2071,45
1200	68	46	10	4,2	SN	BHE1024	2602,18
1200	68	46	10	4,7	SN	BHE1025	2654,62

Please specify bore hole and pin holes



**[Alligator 22 HP]** 

- TurboStart (self-sharpening segments)
- Crenellated segments
- Very old, compact, highly reinforced concrete
- Very fast cut




**BVED**



Ø	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
450-700	46	10	3,9	SG	BVED001	11,70
450-1000	46	10	4,2	SG	BVED003	12,42
450-1000	46	10	4,7	SG	BVED002	13,13

**[Alligator 22 HP]** 

- TurboStart (self-sharpening segments)
- Crenellated segments
- Very old, compact, highly reinforced concrete
- Very fast cut



**BVE**




Ø	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
450	26	46	10	3,9	SN	BVE0040	700,19
450	26	46	10	4,2	SN	BVE0041	718,95
450	26	46	10	4,7	SN	BVE0042	737,37
500	30	46	10	3,9	SN	BVE0027	796,50
500	30	46	10	4,2	SN	BVE0043	818,14
500	30	46	10	4,7	SN	BVE0044	839,40
600	36	46	10	3,9	SN	BVE0030	953,64
600	36	46	10	4,2	SN	BVE0045	979,61
600	36	46	10	4,7	SN	BVE0031	1005,12
650	38	46	10	3,9	SN	BVE0033	1046,63
650	38	46	10	4,2	SN	BVE0046	1074,04
650	38	46	10	4,7	SN	BVE0034	1100,98
700	40	46	10	3,9	SN	BVE0054	1096,67
700	40	46	10	4,2	SN	BVE0047	1125,52
700	40	46	10	4,7	SN	BVE0035	1153,87
750	42	46	10	4,2	SN	BVE0048	1239,75
750	42	46	10	4,7	SN	BVE0049	1269,52
800	46	46	10	4,2	SN	BVE0050	1318,82
800	46	46	10	4,7	SN	BVE0036	1351,43
900	52	46	10	4,2	SN	BVE0051	1671,73
1000	58	46	10	4,2	SN	BVE0052	1970,80
1200	68	46	10	4,2	SN	BVE0053	2544,78

Please specify bore hole and pin holes



## BTL



## [High Performance Concrete]




NEW

- Reinforced concrete, self-locking cobblestones, washed flint tiles



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
350	25.4+T	21	40	13	3,0	SN	BTL1304	311,60
400	25.4+T	24	40	13	3,2	SN	BTL1306	393,20
450	25.4+T	25	40	13	3,6	SN	BTL1307	443,20
500	25.4+T	30	40	13	3,6	SN	BTL1308	492,00
600	25.4+T	34	40	13	3,6	SN	BTL1309	578,00
700	25.4+T	40	40	13	3,6	SN	BTL1310	882,00
750	25.4+T	42	40	13	3,6	SN	BTL1311	998,00
800	25.4+T	46	40	13	3,6	SN	BTL1312	1160,00
900	25.4+T	56	40	13	3,6	SN	BTL1313	1845,00

## STB



## [Turbo Concrete]



NEW

- Multi-jobs, universal multi-purpose



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
300	20	21	40	10	3,0	SN	STB1001	149,00
300	25,4+T	21	40	10	3,0	SN	STB1002	149,00
350	20	24	40	10	3,2	SN	STB1003	206,20
350	25,4+T	24	40	10	3,2	SN	STB1004	206,20
400	25,4+T	28	40	10	3,3	SN	STB1005	268,40
450	25,4+T	32	40	10	4,0	SN	STB1006	398,00

[Grooving] 

- Grooving of abrasive concrete and asphalt (cable laying), mortar raking of concrete floors
- Different thicknesses available
- Broad slots for high output cuts





ABR



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
300	25,4+T	18	40	6	6	SN	ABR0001	701,93
300	25,4+T	18	40	6	8	SN	ABR0003	748,41
300	25,4+T	18	40	6	10	SN	ABR0004	792,02
300	25,4+T	18	40	6	12	SN	ABR0005	835,62
300	25,4+T	18	40	6	15	SN	ABR0006	902,46
350	25,4+T	21	40	6	6	SN	ABR0007	794,57
350	25,4+T	21	40	6	8	SN	ABR0009	848,80
350	25,4+T	21	40	6	10	SN	ABR0010	899,67
350	25,4+T	21	40	6	12	SN	ABR0011	950,54
350	25,4+T	21	40	6	15	SN	ABR0012	1028,53
400	25,4+T	24	40	6	6	SN	ABR0013	911,49
400	25,4+T	24	40	6	8	SN	ABR0015	973,47
400	25,4+T	24	40	6	10	SN	ABR0016	1031,61
400	25,4+T	24	40	6	12	SN	ABR0017	1089,75
400	25,4+T	24	40	6	15	SN	ABR0018	1178,87
450	25,4+T	26	40	6	6	SN	ABR0019	1011,03
450	25,4+T	26	40	6	8	SN	ABR0020	1078,17
450	25,4+T	26	40	6	10	SN	ABR0021	1141,15
450	25,4+T	26	40	6	12	SN	ABR0022	1204,13
450	25,4+T	26	40	6	15	SN	ABR0023	1300,69
500	25,4+T	30	40	6	6	SN	ABR0024	1182,90
500	25,4+T	30	40	6	8	SN	ABR0025	1260,37
500	25,4+T	30	40	6	10	SN	ABR0026	1333,04
500	25,4+T	30	40	6	12	SN	ABR0027	1405,71
500	25,4+T	30	40	6	15	SN	ABR0028	1517,12

## BBR

[Grooving] 

- Grooving of cured concrete (cable laying)
- Different thicknesses available
- Broad slots for high output cuts



Ø	Bore	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
300	25,4+T	40	7,5	6	SN	BBR7001	707,63
300	25,4+T	40	7,5	8	SN	BBR7003	756,02
300	25,4+T	40	7,5	10	SN	BBR7004	801,52
300	25,4+T	40	7,5	12	SN	BBR7005	847,02
300	25,4+T	40	7,5	15	SN	BBR7006	916,72
350	25,4+T	40	7,5	6	SN	BBR7007	801,22
350	25,4+T	40	7,5	8	SN	BBR7009	857,67
350	25,4+T	40	7,5	10	SN	BBR7010	910,76
350	25,4+T	40	7,5	12	SN	BBR7011	963,85
350	25,4+T	40	7,5	15	SN	BBR7012	1045,16
400	25,4+T	40	7,5	6	SN	BBR7013	919,10
400	25,4+T	40	7,5	8	SN	BBR7015	983,61
400	25,4+T	40	7,5	10	SN	BBR7016	1044,28
400	25,4+T	40	7,5	12	SN	BBR7017	1104,95
400	25,4+T	40	7,5	15	SN	BBR7018	1197,88
450	25,4+T	40	7,5	6	SN	BBR7019	1019,26
450	25,4+T	40	7,5	8	SN	BBR7020	1089,15
450	25,4+T	40	7,5	10	SN	BBR7021	1154,88
450	25,4+T	40	7,5	12	SN	BBR7022	1220,61
450	25,4+T	40	7,5	15	SN	BBR7023	1321,28
500	25,4+T	40	7,5	6	SN	BBR7024	1192,40
500	25,4+T	40	7,5	8	SN	BBR7025	1273,04
500	25,4+T	40	7,5	10	SN	BBR7026	1348,88
500	25,4+T	40	7,5	12	SN	BBR7027	1424,72
500	25,4+T	40	7,5	15	SN	BBR7028	1540,88

**[Abrasive Orange]** 

- For cutting green industrial concrete 6h-24h
- Abrasive concrete (polypropylen fibers, abrasive aggregates, high concentrated iron fillings)
- Vertical segments for core protection



**BIA**




Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	N° Prot.	Stock	Code	Price Euro
300	25,4+T	21	40	10	2,8	3	SG	<b>BIA1003</b>	417,70
350	25,4+T	24	40	10	2,8	3	SG	<b>BIA1004</b>	466,70
400	25,4+T	28	40	10	2,8	4	SN	<b>BIA1005</b>	576,00

**[Compact Grey]**  **NEW**



- For cutting green industrial concrete 6h-24h
- Universal, compact to semi-abrasive concrete (hard aggregates, polypropylen fibers, high concentrated iron fillings)
- Vertical segments for core protection



**BIB**



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	N° Prot.	Stock	Code	Price Euro
300	25,4+T	20	40	9	2,8	3	SN	<b>BIB1001</b>	335,00
350	25,4+T	24	40	9	2,8	3	SG	<b>BIB1002</b>	401,00
400	25,4+T	28	40	9	2,8	4	SN	<b>BIB1003</b>	582,00
450	25,4+T	32	40	9	3,6	4	SN	<b>BIB1004</b>	715,00

**BIC**

### [Compact Emerald]

- For cutting green industrial concrete 6h-24h
- Compact concrete (hard aggregates, polypropylen fibers, high concentrated iron fillings)
- Vertical segments for core protection



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	N° Prot.	Stock	Code	Price Euro
300	25,4+T	21	40	10	2,4	3	SG	<b>BIC1001</b>	333,30
300	25,4+T	21	40	10	2,8	3	SN	<b>BIC1002</b>	353,80
350	25,4+T	24	40	10	2,8	3	SN	<b>BIC1003</b>	400,30