

VII - Surfacing



Your global solution manufacturer



RA+**[Raptor Green]**

- Scraping and surfacing of concrete floor coverings in one single operation
- RA+180.02 : special flat body for grinding handmachine Flex Ø180 (flat wheel ht: 15,5)
- Large contact surface to work on soft concretes
- Extra long life



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
125	22,2	8	17	7,5	6	SG	RA+125.01	225,22
150	19,0	10	17	7,5	6	SG	RA+150.01	275,53
180	22,2	12	17	7,5	6	SG	RA+180.01	371,92
180	22,2	12	17	7,5	6	SG	RA+180.02	371,92

RAS**Patented****[Super Raptor]**

- Scraping and surfacing of concrete floor coverings in one single operation
- RAS180.02 : special flat body for grinding handmachine Flex Ø180 (flat wheel ht: 15,5)
- Large contact surface to work on soft concretes
- Long life



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
125	22,2	8	17	5	8	SG	RAS125.01	237,27
150	19,0	10	17	5	8	SN	RAS150.01	298,99
180	22,2	12	17	5	8	SN	RAS180.01	373,67
180	22,2	12	17	5	8	SN	RAS180.02	373,67


[Raptor] 

- Scraping and surfacing of concrete floor coverings in one single operation
- RAP180.02 : special flat body for grinding handmachine Flex Ø180 (flat wheel ht: 15,5)
- High speed



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
125	22,2	8	17	5	5,5	SG	RAP125.01	205,54
150	19,0	10	17	5	5,5	SN	RAP150.01	250,93
180	22,2	12	17	5	5,5	SG	RAP180.01	342,40
180	22,2	12	17	5	5,5	SG	RAP180.02	342,40

RAP



Patented


[Scrapper PCD] 


- Removing adhesive coatings on concrete surfaces (epoxy coatings, roughcast, plaster, glue residues, tar,...), removal of asbestos



Ø	N° Segments	Segment Height	Segment Width	Stock	Code	Price Euro
125	12	1	3	SG	SKR125.01	118,52
175	24	1	3	SG	SKR175.01	217,44

SKR



BOC**Patented****[Boomy]**

- TurboStart (self-sharpening segments)
- Concrete, cement (rough grinding)
- BO180C.04 : special flat body for grinding handmachine Flex Ø180 (flat wheel ht: 15,5)
- High output



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
100	22,2	5	40	5	8	SN	BO100C.04	159,07
100	M14	5	40	5	8	SN	BO100C.05	159,07
100	M24	5	40	5	8	SN	BO100C.06	159,07
125	22,2	8	40	5	8	SG	BO125C.02	186,19
150	19,0	10	40	5	8	SN	BO150C.02	240,14
180	22,2	10	40	5	8	SG	BO180C.03	265,74
180	22,2	10	40	5	8	SG	BO180C.04	265,74

BOG**Patented****[Boomy]**

- TurboStart (self-sharpening segments)
- Granite, concrete, cement (fine grinding)
- BO180G.04: special flat body for grinding handmachine Flex Ø180 (flat wheel ht: 15,5)
- High output
- Long life



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
100	22,2	5	40	5	8	SN	BO100G.04	170,28
100	M14	5	40	5	8	SN	BO100G.05	170,28
100	M24	5	40	5	8	SN	BO100G.06	170,28
125	22,2	8	40	5	8	SG	BO125G.02	205,72
150	19,0	10	40	5	8	SN	BO150G.02	264,55
180	22,2	10	40	5	8	SG	BO180G.03	293,35
180	22,2	10	40	5	8	SG	BO180G.04	293,35

[Graffity] 

- Concrete, cement (fine grinding)
- BO180F.02: special flat body for grinding handmachine Flex Ø180 (flat wheel ht: 15,5)
- High output
- Long life



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
125	22,2	7	50	3	20	SN	BO125F.01	211,80
150	19	8	50	3	20	SN	BO150F.01	272,40
180	22,2	10	50	3	20	SN	BO180F.01	301,20
180	22,2	10	50	3	20	SN	BO180F.02	301,20

BOF



[Simply Top] 

- TurboStart (self-sharpening segments)
- Concrete, abrasive and semi-abrasive cement (rough grinding)
- SY180D.04 : special flat body for grinding handmachine Flex Ø180 (flat wheel ht: 15,5)
- High output
- Long life



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
125	22,2	7	33	6	7,5	SG	SY125D.02	193,20
150	19,0	10	33	6	7,5	SN	SY150D.01	266,92
180	22,2	10	33	6	7,5	SG	SY180D.03	268,92
180	22,2	10	33	6	7,5	SG	SY180D.04	268,92

SYD



SYC



[Simply Fast]



- TurboStart (self-sharpening segments)
- Compact concrete, cement
- SY180C.04 : special flat body for grinding handmachine Flex Ø180 (flat wheel ht: 15,5)
- Fast grinding



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
125	22,2	7	33	5	7,5	SG	SY125C.02	156,98
180	22,2	10	33	5	7,5	SG	SY180C.03	211,57
180	22,2	10	33	5	7,5	SG	SY180C.04	211,57

MD2



[Double Row Cup Wheel]



- Concrete, cement (rough grinding)



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
100	22,2	8 + 8	33	5	8	SN	MD2100	120,64
125	22,2	10 + 10	33	5	8	SG	MD2125	136,36
180	22,2	12 + 10	33	5	8	SG	MD2180	220,72

[Raptor pad] 

- Removing adhesive coatings on concrete floor (acrylic coatings, latex, epoxy resin, roughcast, plaster, glues, tar,...), removal of asbestos
- Scraping and surfacing in one single operation
- Metallic bond pads 75 x 55 mm with 3 fixing holes M6



PRA - Raptor



N° Segments	Segment Length	Segment Height	Segment Width	Stock	Type	Fixing Holes	Code	Price Euro
2	17	7,5	6,0	SG	RAPTOR	M6	PRAM607	73,70
3	17	7,5	6,0	SG	RAPTOR	M6	PRAM608	87,70
4	17	7,5	6,0	SG	RAPTOR	M6	PRAM609	101,60


Price per pad

[Scraptor pad]  **NEW**

- Removing adhesive coatings on concrete floor (roughcast, plaster, glues, tar,...), removal of asbestos
- Scraping and surfacing in one single operation
- Very high removal rate
- Raptor + PCD pads 75 x 55 mm with 3 fixing holes M6




PCD - Scraptor



N° Segments	Stock	Type	Fixing Holes	Code	Price Euro
1 + 2	SG	Raptor + PCD	M6	PCD2M604	119,70
2 + 2	SG	Raptor + PCD	M6	PCD2M605	130,40

Price per pad



PCD



[PCD pad]



NEW

- Removing adhesive coatings on concrete floor (roughcast, plaster, glues, tar,...), removal of asbestos
- Scraping and surfacing in one single operation
- PCD pads 75 x 55 mm with 3 fixing holes M6



N° Segments	Stock	Type	Fixing Holes	Code	Price Euro
2	SN	PCD	M6	PCD2M601	124,50
1	SN	PCD	M6	PCD4M601	169,25

Price per pad / 9 pads per set (3 plates of 3 pads)

QFD



[QFD Pad]



- Rough grinding of concrete, removal of extra thickness
- Metallic bond pads 75 x 55 mm with 3 fixing holes M6



N° Segments	Segment Height	Stock	Type	Fixing Holes	Code	Price Euro
2	20	SN	SURF1	M6	QFD87M602	100,96
3	20	SN	SURF1	M6	QFD87M603	128,60

Price per pad / 9 pads per set (3 plates of 3 pads)

[PAC pad] 

- Rough and fine grinding of concrete floors
- SURF1 - SILVER: Very aggressive coarse diamond - removal of extra thickness, removal of coating residue, removal of asbestos, levelling of surfaces, preparation of rough floors for polishing or for enhancing adherence before applying new coating
- SURF2 - BROWN: removal of extra thickness, removal of coating residue, removal of asbestos, levelling of surfaces, preparation of rough floors for polishing or for enhancing adherence before applying new coating
- SURF3 - BLUE: fine grinding for removing nearly all scratches, last step for external surfaces (risk of slipping on wet ground)
- SURF4 - BLACK: preparation for polishing, gives a satin appearance, without scratches
- SURF5 - RED: preparation for polishing, gives a semi-gloss appearance, last step before the polishing phase with the resin bonds
- Metallic bond pads 75 x 55 mm with 3 fixing holes M6



PAC - SURF



N° Segments	Segment Length	Segment Height	Segment Width	Stock	Type	Grit Size	Fixing Holes	Code	Price Euro
1	55	10,5	15	SG	SURF1	18	M6	PIC18M601	118,30
1	48	10	12	SN	SURF2	25	M6	PAC25M604	70,50
2	48	10	12	SG	SURF2	25	M6	PAC25M605	118,30
1	48	10	12	SN	SURF3	60	M6	PAC60M607	70,50
2	48	10	12	SG	SURF3	60	M6	PAC60M608	118,10
2	40	10	10	SG	SURF4	100	M6	PC100M604	100,60
2	40	10	10	SG	SURF5	150	M6	PC150M604	100,60

Price per pad

PRA

[Raptor Plate] 

- Removing of adhesive coatings on concrete floor (acrylic coatings, latex, epoxy resin, roughcast, plaster, glues, tar,...), removal of asbestos
- Scraping and surfacing in one single operation
- Errut, Bewag, SMG, HTC, Blastrac, King, Diamatic,...



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock		Code	Price Euro
250	19	18	17	7,5	6,0	SN	RAPTOR	PRA250.01	759,35
300	19	18	17	7,5	6,0	SN	RAPTOR	PRA300.01	771,60

Price for complete plate (8 pads per plate)

PIC / PAC

[Plate Ø250] 

- Rough and fine grinding of concrete floors
- SURF1 - SILVER: Very aggressive coarse diamond - removal of extra thickness, removal of coating residue, removal of asbestos, levelling of surfaces, preparation of rough floors for polishing or for enhancing adherence before applying new coating
- SURF2 - BROWN: removal of extra thickness, removal of coating residue, removal of asbestos, levelling of surfaces, preparation of rough floors for polishing or for enhancing adherence before applying new coating



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Type	Code	Price Euro
250	19	6	55	10,5	15	SN	SURF1	PIC250.01	797,60
300	19	6	55	10,5	15	SN	SURF1	PIC300.01	809,60
250	19	12	48	10	12	SN	SURF2	PAC250.01	738,22
300	19	12	48	10	12	SN	SURF2	PAC300.01	750,47

P16

[Plate Ø250] 

- Surface treatment, fine surfacing, levelling tiles
- Errut, Bewag, SMG, HTC, Blastrac, King, Diamatic...
- High output
- Long life



Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock		Code	Price Euro
250	19	16	48	8	12	SN		P160003	797,32
SGT			48	8	12	SG		D160003	27,18

[Plate Ø250] 

- Surface treatment, fine surfacing, levelling tiles
- Errut, Bewag, SMG, HTC, Blastrac, King, Diamatic...



P20




Ø	Bore	N° Segments	Segment Length	Segment Height	Segment Width	Stock	Code	Price Euro
250	19	20	33	7	7,5	SN	P200003	704,20
SGT			33	7	7,5	SG	D200003	16,08

BOU



[Quick Fit]

- Screws for surface grinding for surfacing line
- Comparing scale - bond ranked from soft to hard
- Connection M12
- Colour :
 - (a) Yellow
 - (b) Orange
 - (c) Mauve
 - (d) Blue
 - (e) Green
 - (f) Grey



Ø	N° Segments	Segment Height	Stock	Colour	Grit Size	Code	Price Euro
18	1	20	SN	(a)	30	BOU640.1	39,00
18	1	20	SN	(b)	30	BOU542.1	39,00
18	1	20	SN	(c)	30	BOU820.1	39,00
18	1	20	SN	(d)	30	BOU830.1	39,00
18	1	20	SN	(e)	30	BOU850.1	39,00
18	1	20	SN	(f)	30	BOU870.1	39,00